

- Ⓜ Drafts
- Ⓜ Pending
- Ⓜ Active
 - 📧 L1: (160) (((micro-machin\$3
- Ⓜ Failed
- Ⓜ Saved
 - 📧 (38355) micro-machin\$3
 - 📧 (327) (micro-machin\$3 o
 - 📧 (178) ((micro-machin\$3
 - 📧 (152) (((micro-machin\$3
- Ⓜ Favorites
- Ⓜ Tagged (0)
- 📧 UDC
- 📧 Queue
- 📧 Trash

☒ Highlight all hit terms initially

```
((micro-machin$3 or micro adj machin$3 or
electromechanical) and (electrode$1 and membrane
and ground)) and capacitor$1) and (transformer
filter piezoelectric$3 magnetic 'RF')
```

 BRS f...
 IS&R ...
 Image
 Text
 HTML

	U	1	Document ID	Issue Dat	Pages	Title	Current OR	Current XI
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6592525 B2	20030715	8	Micro-machined ultrasonic transducer (600/459	
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6567448 B1	20030520	14	Scanning III-V compound light emitters integrat	372/50	372/45
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6560089 B2	20030506	54	Implantable medical device having flat elec	361/509	29/25.01; 29/25.03;
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6557413 B2	20030506	30	Micromechanical structure	73/488	310/311
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6544193 B2	20030408	176	Noninvasive measurement of chemical substances	600/558	
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6538800 B2	20030325	31	Reflective spatial light modulator with de	359/291	359/223; 359/295;
7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6538799 B2	20030325	32	Magnetically actuated torsional micro-mechani	359/291	310/22; 310/36;
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6514689 B2	20030204	35	Hydrogel biosensor	435/4	435/287.1; 435/287.7;
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6506989 B2	20030114	7	Micro power switch	200/181	335/78
10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6496348 B2	20021217		Method to force-balance capacitive transducers	361/115	
11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6493288 B2	20021210		Wide frequency band micromachined capacitiv	367/181	

 Hds
  Details
  HTML

\$"

@PJL SET PAGEPROTECT=AUTO

@PJL SET ECONOMODE=OFF

@PJL SET RET=ON

@PJL SET RESOLUTION=600

@PJL SET IMAGEADAPT=AUTO

@PJL SET DENSITY=3

@PJL ENTER LANGUAGE=PCL

Note: when it comes each, restrict 1 more
— time about method.